

Material Safety Data Sheet

According to 91/155 EC

Printing date 16.09.2002

Reviewed on 16.09.2002

1 Identification of substance







- **Product details**
- **Trade name:** WATERVRIJE PARKETLIJM 5500
- **Application of the substance / the preparation** Adhesives
- **Manufacturer/Supplier:**
WAKOL-CHEMIE GmbH
Bottenbacher Str. 30
66954 Pirmasens
- **Informing department:** Industrial Safety Department

06331/8001143

2 Composition/Data on components:

- **Chemical characterization**
- **Description:** Adhesive

- **Dangerous components:**

CAS: 67-56-1 EINECS: 200-659-6	methanol	 T,  F; R 11-23/24/25-39/23/24/25	2.5-<10%
CAS: 79-20-9 EINECS: 201-185-2	methyl acetate	 Xi,  F; R 11-36-66-67	2.5-<10%
CAS: 67-64-1 EINECS: 200-662-2	acetone	 Xi,  F; R 11-36-66-67	2.5-<10%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- **Hazard designation:**



Xn Harmful
F Highly flammable

- **Information pertaining to particular dangers for man and environment**

R 11 Highly flammable.

R 68/20/21/22 Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

- **Classification system**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

4 First aid measures

- **After inhalation** Supply fresh air.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing** Do not induce vomiting; call for medical help immediately.

5 Fire fighting measures

- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with full jet

(Contd. on page 2)

Material Safety Data Sheet

According to 91/155 EC

Printing date 16.09.2002

Reviewed on 16.09.2002

Trade name: WATERVRIJE PARKETLIJM 5500

(Contd. of page 1)

- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:**
 - Ensure adequate ventilation
 - Keep away from ignition sources.
 - Use respiratory protective device against the effects of fumes/dust/aerosol.
- **Measures for environmental protection:**
 - Inform respective authorities in case of seepage into water course or sewage system.
- **Measures for cleaning/collecting:**
 - Pick up mechanically.
 - Dispose contaminated material as waste according to item 13.

7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
- **Storage**
- **Requirements to be met by storerooms and containers:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 - Store in cool, dry conditions in well sealed receptacles.
- **Storage class**
- **Class according to regulation on inflammable liquids:** B

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with critical values that require monitoring at the workplace:**

67-56-1 methanol

TLV	260 mg/m ³ , 200 ml/m ³
-----	---

79-20-9 methyl acetate

TLV	610 mg/m ³ , 200 ml/m ³
-----	---

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures**
 - Keep away from foodstuffs, beverages and feed.
 - Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:** Preventive skin protection by use of skin-protecting agents is recommended.
- **Eye protection:** Not required.

GB

(Contd. on page 3)

Material Safety Data Sheet

According to 91/155 EC

Printing date 16.09.2002

Reviewed on 16.09.2002

Trade name: WATERVRIJE PARKETLIJM 5500

(Contd. of page 2)

9 Physical and chemical properties:

· General Information

Form:	Pasty
Colour:	Beige
Smell:	Characteristic

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 57°C

· **Flash point:** -18°C

· **Ignition temperature:** 455°C

· **Self-inflammability:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· Critical values for explosion:

Lower: 2.1 Vol %

Upper: 44.0 Vol %

· **Steam pressure at 20°C:** 247 mbar

· **Density at 20°C** 1.48 g/cm³ (DIN 53217/2)

· **Solubility in / Miscibility with Water:** Insoluble.

· **Viscosity:**
dynamic at 20°C: 33000 mPas (ISO 2555)

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· **Dangerous reactions** No dangerous reactions known.

· **Dangerous products of composition:** No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-56-1 methanol

Oral	LD50	5900 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rbt)

· Primary irritant effect:

· **on the skin:** No irritant effect.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 4)

Material Safety Data Sheet

According to 91/155 EC

Printing date 16.09.2002

Reviewed on 16.09.2002

Trade name: WATERVRIJE PARKETLIJM 5500

Harmful.

(Contd. of page 3)

12 Ecological information:

- **General notes:**

*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow product to reach ground water, water course or sewage system.*

13 Disposal considerations

- **Product:**

- **Recommendation**

*Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.*

- **European waste catalogue**

08 04 09	<i>waste adhesives and sealants containing organic solvents or other dangerous substances</i>
----------	---

- **Uncleaned packagings:**

- **Recommendation:** *Disposal must be made according to official regulations.*

14 Transport information

- **Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)**



- **ADR/RID-GGVS/E Class:** 3 Flammable liquids.
- **Kemler Number:** 30
- **UN-Number:** 1133
- **Packaging group:** III
- **Label:** 3
- **Designation of goods:** 1133 ADHESIVES (with a flash point below 23°C and viscous according 2.2.3.1.4) (vapor pressure at 50°C at most 110 kPa)

- **Maritime transport IMDG/GGVSea:**



- **IMDG/GGVSea Class:** 3
- **UN Number:** 1133
- **Label:** 3
- **Packaging group:** II
- **EMS Number:** 3-05
- **Marine pollutant:** no

(Contd. on page 5)

GB

Material Safety Data Sheet

According to 91/155 EC

Printing date 16.09.2002

Reviewed on 16.09.2002

Trade name: WATERVRIJE PARKETLIJM 5500

(Contd. of page 4)

· **Correct technical name:** ADHESIVES· **Air transport ICAO-TI and IATA-DGR:**

· **ICAO/IATA Class:** 3
 · **UN/ID Number:** 1133
 · **Label:** 3
 · **Packaging group:** II
 · **Correct technical name:** ADHESIVES

15 Regulatory information

· **Designation according to EC guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xn Harmful
 F Highly flammable

· **Hazard-determining components of labelling:**

methanol

· **Risk phrases:**

11 Highly flammable.

68/20/21/22 Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

· **Safety phrases:**

2 Keep out of the reach of children.

16 Keep away from sources of ignition - No smoking.

24 Avoid contact with skin.

33 Take precautionary measures against static discharges.

37 Wear suitable gloves.

46 If swallowed, seek medical advice immediately and show this container or label.

51 Use only in well-ventilated areas.

· **National regulations**· **Classification according to VbF:** B· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant R-phrases**

11 Highly flammable.

23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

(Contd. on page 6)

Material Safety Data Sheet
According to 91/155 EC

Printing date 16.09.2002

Reviewed on 16.09.2002

Trade name: WATERVRIJE PARKETLIJM 5500

(Contd. of page 5)

36 *Irritating to eyes.*

39/23/24/25 *Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.*

66 *Repeated exposure may cause skin dryness or cracking.*

67 *Vapours may cause drowsiness and dizziness.*

· **Department issuing data specification sheet:** *Industrial Safety Department.*

· **Contact:** *H. Gummersheimer*

GB